



SYMBOLGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-32A	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	August 6, 2001	July 24, 2003
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, CALL FOR FIRE (CFF) ZONE, CIRCULAR			
SUGGESTED CHANGE			
<p>The Fire Support community has a requirement to add a new symbol to MIL-STD-2525B.</p> <ol style="list-style-type: none"> 1. The purpose of the radar Call For Fire (CFF) Zone, Circular symbol is to graphically display circular radar Call For Fire Zones, Circular to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP). 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the "Areas" hierarchy, 2.X.4.3, figure B-17, and table B-IV. 			
OVERVIEW			
<p>Currently, the standard does not contain a symbol depicting radar CFF Zones, Circular. The purpose of the radar CFF Zone, Circular symbol is to graphically display to commanders and operators the geometry used by fire support radar's to designate specific areas from which a call for fire would be automatically generated if enemy indirect fires are detected. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD, will allow the symbols to be transmitted/received by all battlefield system. The CFF Zone, Circular is a required symbol for use in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the radar Call For Fire Zone, Circular for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.</p>			
OPERATIONAL DESCRIPTION			
<p>In general, the radar CFF Zone, Circular symbol is used by fire support radar's to designate specific areas from which a call for fire would be automatically generated if enemy indirect fires are detected. The call for fire would be generated and sent to Fire Support systems. One (1) point location and a radius defined in meters are required to graphically display circular radar CFF Zones. The minimum information required to interoperate with another system is below.</p>			
IMPLEMENTATION			
<p>Description: Fire Support, Areas, Target Acquisition Zones, Call For Fire (CFF) Zone, Circular</p> <p>Parameters:</p> <ol style="list-style-type: none"> 1. Anchor Points. This graphic requires one (1) anchor point and a radius. Point 1 defines the center point of the graphic. 2. Size/Shape. Size: The radius, defined in meters, defines the size. Shape: Circle. The information fields should be scaleable within the circle. 3. Orientation. Not applicable. <p>Fixed/Dynamic: Dynamic</p> <p>Hierarchy: 2.X.4.3.3.2.3</p> <p>Symbol ID: G*F*AZXC--****X</p>			

SYMBOLGY CONFIGURATION MANAGEMENT			
CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-32A	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	August 6, 2001	July 24, 2003
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, CALL FOR FIRE (CFF) ZONE, CIRCULAR			
Tactical Graphic		Example	
			
JIEO ANALYSIS			
See JIEO ANALYSIS MIL00-32A.doc			
C/S/A COMMENTS			
DECISION NOTICE			
Approved at SSMC 2-03.			

Attachment A

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

Attachment A

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.

HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS	FUNCTION ID			SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION
2.X.4	G	*	F	*	--	--	--	**	**	X	FIRE SUPPORT
2.X.4.1	G	*	F	*	P-	--	--	**	**	X	POINT
2.X.4.1.1	G	*	F	*	PT	--	--	**	**	X	TARGET
2.X.4.1.1.1	G	*	F	*	PT	S-	--	**	**	X	POINT/SINGLE TARGET
2.X.4.1.1.2	G	*	F	*	PT	N-	--	**	**	X	NUCLEAR TARGET
2.X.4.1.2	G	*	F	*	PC	--	--	**	**	X	COMMAND AND CONTROL
2.X.4.1.2.1	G	*	F	*	PC	F-	--	**	**	X	FIRE SUPPORT STATION
2.X.4.1.2.2	G	*	F	*	PC	S-	--	**	**	X	SURVEY CONTROL POINT (SCP)
2.X.4.1.2.3	G	*	F	*	PC	B-	--	**	**	X	FIRING POINT
2.X.4.1.2.4	G	*	F	*	PC	R-	--	**	**	X	RELOAD POINT
2.X.4.1.2.5	G	*	F	*	PC	H-	--	**	**	X	HIDE POINT
2.X.4.1.2.6	G	*	F	*	PC	L-	--	**	**	X	LAUNCH POINT
2.X.4.2	G	*	F	*	L-	--	--	**	**	X	LINES
2.X.4.2.1	G	*	F	*	LT	--	--	**	**	X	LINEAR TARGET
2.X.4.2.1.1	G	*	F	*	LT	S-	--	**	**	X	LINEAR SMOKE TARGET
2.X.4.2.1.2	G	*	F	*	LT	F-	--	**	**	X	FINAL PROTECTIVE FIRE (FPF)
2.X.4.2.2	G	*	F	*	LC	--	--	**	**	X	COMMAND AND CONTROL
2.X.4.2.2.1	G	*	F	*	LC	F-	--	**	**	X	FIRE SUPPORT COORDINATION LINE (FSCL)
2.X.4.2.2.2	G	*	F	*	LC	C-	--	**	**	X	COORDINATED FIRE LINE (CFL)
2.X.4.2.2.3	G	*	F	*	LC	N-	--	**	**	X	NO-FIRE LINE (NFL)
2.X.4.2.2.4	G	*	F	*	LC	R-	--	**	**	X	RESTRICTIVE FIRE LINE (RFL)
2.X.4.3	G	*	F	*	A-	--	--	**	**	X	AREAS
2.X.4.3.1	G	*	F	*	AT	--	--	**	**	X	AREA TARGET
2.X.4.3.1.1	G	*	F	*	AT	C-	--	**	**	X	CIRCULAR TARGET
2.X.4.3.1.2	G	*	F	*	AT	R-	--	**	**	X	RECTANGULAR TARGET
2.X.4.3.1.3	G	*	F	*	AT	G-	--	**	**	X	SERIES OR GROUP OF TARGETS
2.X.4.3.1.4	G	*	F	*	AT	S-	--	**	**	X	SMOKE
2.X.4.3.1.5	G	*	F	*	AT	B-	--	**	**	X	BOMB AREA
2.X.4.3.2	G	*	F	*	AC	--	--	**	**	X	COMMAND AND CONTROL
2.X.4.3.2.1	G	*	F	*	AC	S-	--	**	**	X	FIRE SUPPORT AREA (FSA)
2.X.4.3.2.1.1	G	*	F	*	AC	SI	--	**	**	X	FIRE SUPPORT AREA (FSA), IRREGULAR
2.X.4.3.2.1.2	G	*	F	*	AC	SR	--	**	**	X	FIRE SUPPORT AREA (FSA), RECTANGULAR
2.X.4.3.2.1.3	G	*	F	*	AC	SC	--	**	**	X	FIRE SUPPORT AREA (FSA), CIRCULAR
2.X.4.3.2.2	G	*	F	*	AC	A-	--	**	**	X	AIRSPACE COORDINATION AREA (ACA)
2.X.4.3.2.2.1	G	*	F	*	AC	AI	--	**	**	X	AIRSPACE COORDINATION AREA (ACA), IRREGULAR
2.X.4.3.2.2.2	G	*	F	*	AC	AR	--	**	**	X	AIRSPACE COORDINATION AREA (ACA), RECTANGULAR
2.X.4.3.2.2.3	G	*	F	*	AC	AC	--	**	**	X	AIRSPACE COORDINATION AREA (ACA), CIRCULAR
2.X.4.3.2.3	G	*	F	*	AC	F-	--	**	**	X	FREE FIRE AREA (FFA)
2.X.4.3.2.3.1	G	*	F	*	AC	FI	--	**	**	X	FREE FIRE AREA (FFA), IRREGULAR
2.X.4.3.2.3.2	G	*	F	*	AC	FR	--	**	**	X	FREE FIRE AREA (FFA), RECTANGULAR
2.X.4.3.2.3.3	G	*	F	*	AC	FC	--	**	**	X	FREE FIRE AREA (FFA), CIRCULAR
2.X.4.3.2.4	G	*	F	*	AC	N-	--	**	**	X	NO-FIRE AREA (NFA)
2.X.4.3.2.4.1	G	*	F	*	AC	NI	--	**	**	X	NO-FIRE AREA (NFA), IRREGULAR
2.X.4.3.2.4.2	G	*	F	*	AC	NR	--	**	**	X	NO-FIRE AREA (NFA), RECTANGULAR
2.X.4.3.2.4.3	G	*	F	*	AC	NC	--	**	**	X	NO-FIRE AREA (NFA), CIRCULAR

Attachment A

DESCRIPTION	ORDER OF BATTLE	COUNTRY CODE	SIZE/MOBILITY	FUNCTION ID	STATUS	CATEGORY	AFFILIATION	CODE SCHEME	HIERARCHY
RESTRICTIVE FIRE AREA (RFA)	X	**	**	AC R- --	*	F	*	G	2.X.4.3.2.5
RESTRICTIVE FIRE AREA (RFA), IRREGULAR	X	**	**	AC RI --	*	F	*	G	2.X.4.3.2.5.1
RESTRICTIVE FIRE AREA (RFA), RECTANGULAR	X	**	**	AC RR --	*	F	*	G	2.X.4.3.2.5.2
RESTRICTIVE FIRE AREA (RFA), CIRCULAR	X	**	**	AC RC --	*	F	*	G	2.X.4.3.2.5.3
POSITION AREA FOR ARTILLERY (PAA)	X	**	**	AC P- --	*	F	*	G	2.X.4.3.2.6
POSITION AREA FOR ARTILLERY (PAA), IRREGULAR	X	**	**	AC PI --	*	F	*	G	2.X.4.3.2.6.1
POSITION AREA FOR ARTILLERY (PAA), CIRCULAR	X	**	**	AC PC --	*	F	*	G	2.X.4.3.2.6.2
TARGET ACQUISITION ZONES	X	**	**	AZ -- --	*	F	*	G	2.X.4.3.3
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE	X	**	**	AZ I- --	*	F	*	G	2.X.4.3.3.1
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR	X	**	**	AZ II --	*	F	*	G	2.X.4.3.3.1.1
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR	X	**	**	AZ IR --	*	F	*	G	2.X.4.3.3.1.2
ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, CIRCULAR	X	**	**	AZ IC --	*	F	*	G	2.X.4.3.3.1.3
CALL FOR FIRE ZONE (CFFZ)	X	**	**	AZ X- --	*	F	*	G	2.X.4.3.3.2
CALL FOR FIRE ZONE (CFFZ), IRREGULAR	X	**	**	AZ XI --	*	F	*	G	2.X.4.3.3.2.1
CALL FOR FIRE ZONE (CFFZ), RECTANGULAR	X	**	**	AZ XR --	*	F	*	G	2.X.4.3.3.2.2
CALL FOR FIRE ZONE (CFFZ), CIRCULAR	X	**	**	AZ XC --	*	F	*	G	2.X.4.3.3.2.3
SENSOR ZONE	X	**	**	AZ S- --	*	F	*	G	2.X.4.3.3.3
SENSOR ZONE, IRREGULAR	X	**	**	AZ SI --	*	F	*	G	2.X.4.3.3.3.1
SENSOR ZONE, RECTANGULAR	X	**	**	AZ SR --	*	F	*	G	2.X.4.3.3.3.2
SENSOR ZONE, CIRCULAR	X	**	**	AZ SC --	*	F	*	G	2.X.4.3.3.3.3
CENSOR ZONE	X	**	**	AZ C- --	*	F	*	G	2.X.4.3.3.4
CENSOR ZONE, IRREGULAR	X	**	**	AZ CI --	*	F	*	G	2.X.4.3.3.4.1
CENSOR ZONE, RECTANGULAR	X	**	**	AZ CR --	*	F	*	G	2.X.4.3.3.4.2
CENSOR ZONE, CIRCULAR	X	**	**	AZ CC --	*	F	*	G	2.X.4.3.3.4.3
DEAD SPACE AREA (DA)	X	**	**	AZ D- --	*	F	*	G	2.X.4.3.3.5
DEAD SPACE AREA (DA), IRREGULAR	X	**	**	AZ DI --	*	F	*	G	2.X.4.3.3.5.1
DEAD SPACE AREA (DA), RECTANGULAR	X	**	**	AZ DR --	*	F	*	G	2.X.4.3.3.5.2
DEAD SPACE AREA (DA), CIRCULAR	X	**	**	AZ DC --	*	F	*	G	2.X.4.3.3.5.3
CRITICAL FRIENDLY ZONE (CFZ)	X	**	**	AZ F- --	*	F	*	G	2.X.4.3.3.6
CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR	X	**	**	AZ FI --	*	F	*	G	2.X.4.3.3.6.1
CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR	X	**	**	AZ FR --	*	F	*	G	2.X.4.3.3.6.2
CRITICAL FRIENDLY ZONE (CFZ), CIRCULAR	X	**	**	AZ FR --	*	F	*	G	2.X.4.3.3.6.3
ZONE OF RESPONSIBILITY (ZOR)	X	**	**	AZ Z- --	*	F	*	G	2.X.4.3.3.7
ZONE OF RESPONSIBILITY (ZOR), IRREGULAR	X	**	**	AZ ZI --	*	F	*	G	2.X.4.3.3.7.1
ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR	X	**	**	AZ ZR --	*	F	*	G	2.X.4.3.3.7.2